

IN THE CLAIMS

1 –12. (Canceled)

13. (Previously Presented) A computer program product, comprising:
a computer-readable memory device;
computer-readable program code segments, stored on the medium, for:
receiving, at a client having a local cache, input related to a request
for content of a web page, the request including an address for the web page;
in response to receiving the input:
determining, at the client, whether there is content
associated with the web page in the local cache;
if there is content associated with the web page in the local
cache, inserting a unique identifier into the address; and
transmitting the request to a server.

14. (Previously Presented) The computer program product of claim 13,
further comprising:
computer-readable program code segments, stored on the medium, for
determining whether the received input comprises either an event requesting a
currently-displayed web page to be refreshed or an event requesting navigation
to a previously-displayed web page.

15 - 29. (Canceled)

30. (Withdrawn) A computer program product, comprising:
a computer-readable memory device;
computer-readable program code segments, stored on the medium, for:
receiving, from a client having a local cache, a request for content
of a first web page, the request including a first address, the request also
including a request for transmission of a second web page; and
in response to receiving the request for content

transmitting a message redirecting the client to the second web page, the message including a second address with a unique identifier.

31. (Withdrawn) The computer program product of Claim 30, further comprising:

computer-readable program code segments, stored on the medium, for receiving, from the client, a request for content of the second web page, the request including the second address with the unique identifier.

32. (Previously Presented) A method, comprising:

receiving, at a client having a local cache, input related to a request for content of a web page, the request including an address for the web page;

in response to receiving the input:

determining, at the client, whether there is content associated with the web page in the local cache;

if there is content associated with the web page in the local cache, inserting a unique identifier into the address; and

transmitting the request to a server.

33. (Previously Presented) The method Claim 32, wherein determining whether there is content associated with the web page in the local cache comprises:

determining whether the received input comprises either an event requesting a currently-displayed web page to be refreshed or an event requesting navigation to a previously-displayed web page.

34. (Withdrawn) A method comprising:

receiving, from a client having a local cache, a request for content of a first web page, the request including a first address, the request also including a request for transmission of a second web page; and

in response to receiving the request for content:

transmitting a message redirecting the client to the second web page, the message including a second address with a unique identifier.

35. (Withdrawn) A method according to Claim 34 further comprising:
receiving, from the client, a request for content of the second web page,
the request including the second address with the unique identifier.